# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS



## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Y 2 8 TRADE	. <b>.</b>	U.S. Pater sare required to respond to a collection of the collect	PTO/SB/21 (08-03) Approved for use through 08/30/2003. OMB 0651-0031 and Trademark Office; U.S. DEPARTMENT OF COMMERCE on of information unless it displays a valid OMB control number.  10/709,447  05/06/2004  Kuang-Yu Yen		
	Fee Transmittal Form  Fee Attached  Amendment/Reply  After Final  Affidavits/declaration(s)  Extension of Time Request  Express Abandonment Request  Information Disclosure Statement  Certified Copy of Priority Document(s)  Response to Missing Parts/ Incomplete Application  Response to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Add Terminal Disclaimer Request for Refund CD, Number of CD(s)	After Allowance communication to Technology Center (TC)  Appeal Communication to Board of Appeals and Interferences  Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)  Proprietary Information		
3	SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT  Firm or Individual name  Signature  Date  CERTIFICATE OF TRANSMISSION/MAILING  I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service via sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 the date shown below.  Typed or printed name				
			Pate		

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

3

Signature

Signature

PTO/SB/17 (10-03)
Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

ALIONATTAL	1	Complete if Known				
FEE TRANSMITTAL	Applic	Application Number 10/709,447				
_	Filing Date		05/06/2004			
for FY 2004	First N	First Named Inventor Kuang-Yu Yen				
Effective 10/01/2003. Patent fees are subject to annual revision.	Exami	Examiner Name				
Applicant claims small entity status. See 37 CFR 1.27	Art Ur	Art Unit				
TOTAL AMOUNT OF PAYMENT (\$) 0.00	Attorn	ey Docket No.	REAP0029USA			
METHOD OF PAYMENT (check all that apply)		FEE CA	ALCULATION (continued)			
Other None	3. ADDITI	ONAL FEES				
Deposit Account:	Large Entity Fee Fee	Small Entity Fee Fee	Fee Description			
	Code (\$)	Code (\$)	-	Fee Paid		
Account Sumber	1051 130	1 -	charge - late filing fee or oath charge - late provisional filing fee or	<b></b>		
Deposit Account North America Intellectual Property Corp.	1052 50	cove	er sheet			
Name the Director is authorized to: (check all that apply)	1053 130	1053 130 Non	-English specification filing a request for <i>ex parte</i> reexaminatior			
Charge fee(s) indicated below Credit any overpayments	1812 2,520		juesting publication of SIR prior to			
Charge ree(s) indicates some	1804 920	Exa	miner action	<del>  </del>		
Charge fee(s) indicated below, except for the filing fee	1805 1,840	1805 1,840* Red Exa	questing publication of SIR after aminer action	<b> </b>		
the above-identified deposit account.	1251 110		tension for reply within first month			
FEE CALCULATION	1252 420	2202 2.0	tension for reply within second month			
. BASIC FILING FEE	1253 950		tension for reply within third month			
arge Entity Small Entity see Fee <u> Fee Fee                        </u>	1254 1,480		tension for reply within fourth month	<b> </b>		
ode (\$) Code (\$)	1255 2,010	2255 1,005 Ex	tension for reply within fifth month			
001 770 2001 385 Utility filing fee	1401 330		otice of Appeal			
1002 340 2002 170 Design filing fee	1402 330		ing a brief in support of an appeal	<b> </b>		
Delegate filing for	1403 290		equest for oral hearing			
1004 770 2001 010 D	1451 1,510		etition to institute a public use proceeding			
1005 160 2005 80 Provisional filing fee SUBTOTAL (1) (\$) 0.00	1452 110	- 1 -	etition to revive - unavoidable			
	1453 1,33		etition to revive - unintentional			
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE			tility issue fee (or reissue)			
Extra Claims below Fee Paid	1502 48	· [	esign issue fee lant issue fee			
Total Claims -20** = X = Independent X = X	1503 64		etitions to the Commissioner			
Claims — 3 — — 7	1460 13		Processing fee under 37 CFR 1.17(q)			
Multiple Dependent			ubmission of Information Disclosure Stmt			
Large Entity   Small Entity Fee Fee Fee Fee Fee Fee Description	1806 18 8021 4	R	ecording each patent assignment per			
Code (\$)   Code (\$) 1202 18   2202 9 Claims in excess of 20		pi	roperty (times number of properties) iling a submission after final rejection			
1202 18 2202 9 Claims in excess of 20 1201 86 2201 43 Independent claims in excess of 3	1809 77	(3	37 CFR 1.129(a))	-		
1203 290 2203 145 Multiple dependent claim, if not paid	1810 77	70 2810 385 F	For each additional invention to be examined (37 CFR 1.129(b))			
1204 86 2204 43 ** Reissue independent claims over original patent	1801 7	70 2801 385	Request for Continued Examination (RCI	Ē)		
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent		00 1802 900	Request for expedited examination of a design application			
and over original patent	Other fee					
SUBTOTAL (2) (\$\)0.00 **or number previously paid, if greater; For Reissues, see above	- Reduced	by Basic Filing Fee	e Paid SUBTOTAL (3) (\$) 0	.00		
			(Complete (if applicable))			
SUBMITTED BY		stration No. 41,5	26 Telephone 886289237			
Name (Print/Type) Winston Hsu	(Attor	mey/Agent)	Date 57/6	1200		

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.


This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, use of the u the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/02B (11-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## **DECLARATION** — Supplemental Priority Data Sheet

Additional foreign applications:  Certified Copy Attached?						
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	YES NO		
092128438	Taiwan R.O.C	10/14/2003				

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



### 인터 인터 인터 인터



## 中華民國經濟部智慧財產局

INTELLECTUAL PROPERTY OFFICE MINISTRY OF ECONOMIC AFFAIRS REPUBLIC OF CHINA

茲證明所附文件,係本局存檔中原申請案的副本,正確無訛其申請資料如下:

This is to certify that annexed is a true copy from the records of this office of the application as originally filed which is identified hereunder:

申 請 日 : 西元<u>2003</u>年<u>10</u>月<u>14</u>日 Application Date

申 請 案 號: 092128438

Application No.

申 f 請 人 : 瑞昱半導體股份有限公司 Applicant(s)


j

Director General









發文字號: 09221191440

Serial No.

申請日期:	IPC分類	3	_
申請案號:	,		ŗ

(以上各欄由		發明專利說明書
_	中文	快速頻道搜尋法及相關裝置
發明名稱	英文	APPARATUS FOR CHANNEL SCANNING AND METHOD THEREOF
(	姓 名 (中文)	1. 顏光裕
	姓 名 (英文)	1. YEN, KUANG-YU
發明人 (共1人) (	國籍中英文)	1. 中華民國 TW
		1. 台中市愛國街八十八巷四十六號
	住居所 英 文)	1. No. 46, Lane 88, Ai-Kuo St., Tai-Chung City, Taiwan, R.O.C.
· · · · · · · · · · · · · · · · · · ·	名稱或 姓 名 (中文)	1. 瑞昱半導體股份有限公司
+	名稱或 姓 名 (英文)	1. REALTEK SEMICONDUCTOR CORP.
= ( :	國籍中英文)	1. 中華民國 TW
申請人 (共1人) (長	生居所 營業所)中 文)	1. 新竹縣新竹科學園區工業東九路二號 (本地址與前向貴局申請者相同)
1 ( <del>{</del> ( <del>!</del>	注居所 營業所) 英 文)	1. 2 Industry E. Rd. IX, Science-Based Industrial Park, Hsin-Chu Hsien, Taiwan, R.O.C.
1	代表人 (中文)	1. 葉博任
	弋表人 英文)	1. YEH, PO-LEN



#### 四、中文發明摘要 (發明名稱:快速頻道搜尋法及相關裝置)

本發明提供一種自動掃描接收訊號之傳輸頻道的方法,其包含有:依序掃描複數個頻帶;以及偵測每該頻帶是否具有該接收訊號,若有,則偵測該接收訊號之頻率響應;以及依據該接收訊號之頻率響應偵測一傳輸頻道之一頻道特性;其中,該接收訊號係與該傳輸頻道相對應。

五、英文發明摘要 (發明名稱:APPARATUS FOR CHANNEL SCANNING AND METHOD THEREOF)

A method for scanning at least a channel of a received signal includes: scanning a plurality of frequency bands in sequence; and detecting each frequency band whether it holds the received signal; if it does, detecting a frequency response of the received signal; and detecting a channel characteristic of a channel according to the frequency response of the received signal; wherein



四、中文發明摘要 (發明名稱:快速頻道搜尋法及相關裝置) 五、英文發明摘要 (發明名稱:APPARATUS FOR CHANNEL SCANNING AND METHOD THEREOF) the received signal corresponds to the channel.

六、指定代表圖

(一)、本案代表圖為:第\_\_\_\_\_圖

(二)、本案代表圖之元件代表符號簡單說明:



一、本案已向			- 🔪
國家(地區)申請專利	申請日期	案號	主張專利法第二十四條第一項優先程
		無	
		•	
二、□主張專利法第二十五	係之一第一項係	<b>憂先權・</b>	
申請案號:		<b>χ</b> /υγ <b>μ</b> •	
		無	
日期:			
三、主張本案係符合專利法	第二十條第一項	頁□第一款但書或	<b>戊□第二款但書規定之期間</b>
日期:			
四、三有關微生物已寄存於	國外:		· •
寄存國家: 寄存機構:		無	
寄存日期:			
寄存號碼: □有關微生物已寄存於	國內(木呂所指	定之客在機構):	
寄存機構:	E4 (7(-79)) (44		
寄存日期:		無	
寄存號碼: □熟習該項技術者易於	獲得,不須寄存	0	
BID RATISTICAL PRESENTATION PROCESSION			

#### 五、發明說明 (1)


#### 【技術領域】

本發明提供一種傳輸頻道掃描裝置及其方法,尤指一種利用接收訊號之頻率響應,以快速掃描傳輸頻道的裝置及其方法。

#### 【先前技術】

在可預見的未來,對數位電視廣播的需求將日益增加。當大量利用衛星傳送視聽訊號時,上述關於在衛星廣播下傳輸頻道變動的問題將浮上檯面。而傳輸頻道的搜尋速度將





#### 五、發明說明 (2)

成為判斷接收器性能優劣的關鍵。

#### 【內容】


因此本發明的主要目的在於一接收器中快速搜尋至少一傳輸頻道(Channel)的方法及相關裝置,以解決上述問題。

本發明之一目的為提供一種自動掃描接收訊號之傳輸頻道 (Channel)的方法,其包含有依序掃描複數個頻帶

(frequency band);以及偵測每該頻帶是否具有該接收訊號,若有,則偵測該接收訊號之頻率響應;以及依據該接收訊號之頻率響應偵測一傳輸頻道之一頻道特性;其中,該接收訊號係與該傳輸頻道相對應。

本發明之另一目的為提供一種自動掃描接收訊號之傳輸頻道的接收器,包括一調頻器(tuner),用以依序掃描複數個頻帶;一信號偵測單元,用以偵測每該頻帶是否具有該接收訊號;一頻譜分析單元,用以偵測該接收訊號之頻率響應;以及一頻道參數偵測單元,用以依據該接收訊號之頻率響應偵測該傳輸頻道之一頻道特性;其中,該接收訊號係與該傳輸頻道相對應。

#### 【實施方法】



#### 五、發明說明 (3)

本發明先將接收訊號由時域訊號轉換為頻域訊號,以獲得此接收訊號於頻域上之頻率響應,並利用此頻率響應決定出接收的傳輸頻道,及其所對應之各個重要的特性參數(如一載波位置與一傳送速度)。請參閱圖一,圖一為對應一傳輸頻道 Ch1之接收訊號之頻率響應的示意圖。由圖二可知,在頻域上,此傳輸頻道 Ch1對應至一最大邊緣頻率值 fu及最付過緣頻率值 fd,由此最大邊緣頻率值 fu及最小邊緣頻率值 fd,由此最大邊緣頻率值 fu及最中,載波位置 fc為此二邊緣頻率值 fu、fd的算術平均值,數學式為: fc3=(fu3+fd3)/2,而傳送速率 R則可利用此二邊緣頻率值 fu、fd的插值求得,數學式可表示為: R=(fu3-fd3)/(1+傳送濾波器之 Roll-off factor)。

請參閱圖二,圖二為依據本發明之一較佳實施例繪示之具有自動頻道掃描功能之接收機的系統架構圖。接收機 400包括:調頻器 (tuner) 402、信號偵測單元 404、頻譜分析單元 406、頻道參數偵測單元 408、頻道掃描控制單元 410。除了調頻器 402以外,其餘電路單元係與實於一基頻處理器 (baseband processor)中。且其中頻道參數偵測單元 408、頻道掃描控制單元 410並不限定到其為硬體電路,亦可以驅動程式 (driver)的形式來達到其功效。需注意的是,本發明所提出的接收機 400的系統架構係換條依據習知之接收機架構稍微修改而來,故許多電路元件係與原來的架構相同。如此,可在盡量不改變原有的系





#### 五、發明說明(4)

統架構的情況下達到本發明欲達到的功效。上述每個元件內部電路及運作方式將於下文中作詳盡的說明。

調頻器 402至少包括一信號放大器 420,混波器 (mixer) 422以及低通滤波器 (Low Pass Filter, LPF) 424。本發明所提出之調頻器 402,其電路架構、工作原理及運作方式與習知之調頻器相同,於此不再贅述。由於無線/有線電視、衛星電視的頻域極廣 (如衛星訊號的範圍為 950MHz~2150MHz),而基頻處理器每一次所能掃描的頻率範圍卻必須侷限在一較小的範圍內 (如在一衛星接收器中,每次掃描的預設頻寬為 [-f sample/2],f sample/2],f sample/2],f sample/2 f sample/2],f sample/2 f sa

雖然訊號所處的頻率可能範圍極廣,但每一傳輸頻道所佔的頻寬有限,意即,大部分的頻域並非都有訊號存在。因此,當該次掃描的頻率範圍內沒有訊號存在時,系統可快速略過而無須執行頻譜掃描之運作,以節省時間。舉例而言,本實施例可利用基頻處理器內含的信號偵測單元404






#### 五、發明說明 (5)

執行一增益控制機制,來判斷訊號存在的頻率範圍。請再 參 照 圖 二 , 信 號 偵 測 單 元 404至 少 包 括 類 比 數 位 轉 換 器 ( Analog-to-Digital Converter, ADC) 426、自動增益 控制器( Auto-Gain Controller, AGC) 428、數位類比轉 ( Digital -to- Analog Converter, DAC) 430及信 號 偵 測 電 路 432。 其 中 , 類 比 數 位 轉 換 器 426、 自 動 增 益 控 制器 428、數位類比轉換器 430之工作原理及運作方式皆與 習 知 技 術 相 同 , 於 此 不 再 贅 述 。 概 略 而 言 , 當 自 動 増 益 控 制器 428依據接收訊號的強度輸出一高增益訊號時,即表 示目前掃描的頻帶範圍內沒有訊號存在。此時,信號偵測 裝 置 432會 輸 出 訊 號 至 頻 道 掃 描 控 制 單 元 410, 直 接 調 整 調 頻 器 402的 掃 描 範 圉 至 下 一 個 頻 帶 。 如 此 , 頻 譜 分 析 單 元 406及 頻 道 參 數 偵 測 單 元 408則 不 需 要 針 對 此 頻 帶 的 訊 號 執 行頻譜掃描及後續訊號處理之過程。反之,當自動增益控 制器 428依據接收訊號的強度輸出一低增益訊號時,即表 示 目 前 掃 描 的 頻 帶 範 圍 內 具 有 接 收 訊 號 RS。 如 此 , 頻 譜 分 析 單 元 406及 頻 道 參 數 偵 測 單 元 408則 需 要 針 對 此 頻 帶 的 訊 號執行頻譜掃描及後續訊號處理之過程。 1

頻譜分析單元 406用以將接收訊號 RS由時域訊號轉為頻域訊號以進行頻譜分析,以得到該接收訊號 RS之頻率響應。把時域訊號轉為頻域訊號需要以一快速傳利葉轉換 (Fast Fourier Transform, FFT)電路,但此種電路需佔用極大的電路面積,並大幅提高成本。在本發明之接收器中,我





1

· . 34

.

....

#### 五、發明說明 (6)

們只需利用系統中現成的電路,再加上一具有將能量平均 (Average)之功能的裝置,於不同的時間下將每個頻率的 能量掃描出來即可。請參閱圖三,圖三為本發明之頻譜分 析單元之實施例的功能方塊圖。頻譜分析單元32包含有一 可 調 式 降 頻 器 (Down-converter)31與 一 訊 號 強 度 解 析 電 ( Magnitude Analysis Generator, MAG) 37, 而可調 式降頻響 31係由習知之複數 (Complex)降頻器 33再加上一 平均器( Average Device) 35來實現。當接收訊號 RS通過 頻譜分析單元 32時,藉由複數降頻器 33依序調整一操作頻 率的值 万於不同時間下掃描出接收訊號 RS於頻域上對應 於各個頻率的能量值,之後經由平均器35將不同時間下所 掃描出對應每一頻率的能量加以平均,再經由強度解析裝 置 35將關於相位 (Phase)的訊號加以去除,最後得出該接數 收訊號 RS之頻率響應(類似於圖一之示意圖)。平均器 用一低通濾波器 (Low-pass Filter)來實現 再者 參 照 圖 二 , 習 知 之 接 收 器 中 本 來 就 設 置 有 複 數 降 頻 器 434, 與解調電路 412網接,解調電路 412依據其輸入訊號 控制載波回覆 (carrier recovery) 電路 440輸出載波回鑿 覆訊號至降頻器434,以執行載波還原的功能。因此,在於 本實施例中,在頻譜分析單元406中設置頻率控制電路414. 及 多 工 器 416。 當 執 行 頻 道 掃 描 時 , 利 用 切 換 訊 號 SW切 換 多工器 416,使得頻率控制電路 414與複數降頻器 434耦 ,使得複數降頻器 33之操作頻率可隨時間適當調整 複數降頻器 33具有頻譜掃描之功能,即成為本發明之可調





1,0

1500

#### 五、發明說明 (7)



式降頻器 31。其中,頻率控制電路 414之運作係由頻道掃描單元 410所控制。

然而,事實上,利用圖三實施例之架構所得到對應於某個傳輸頻道的訊號的頻率響應會具有相當大的變動

(Fluctuation)幅度,而難以直接解析出傳輸頻道的特性 **参數。為了解決此一問題,方法之一,我們可利用圖三之** 平均器 35,在某個固定頻率多蒐集數值再加以平均來更加 突 顯 傳 輸 頻 道 的 邊 緣 值 , 以 求 決 定 出 最 大 邊 緣 頻 率 值 f u及 最 小 邊 緣 頻 率 值 f d,但 如 此 一 來 將 花 較 多 的 時 間 。 因 此 , 本實施例之頻道參數偵測單元408包括記憶體444、低通濾 波器 446及高通濾波器 448, 用以對接收訊號 RS頻率響應進 行 訊 號 處 理 , 以 快 速 得 到 精 確 之 最 大 及 最 小 邊 緣 頻 率 值 🥌 fu、fd。其中,低通滤波器 446可降低頻率響應的變動幅: 度, 讓接收訊號 RS之頻率響應更加清晰, 再通過高通濾波 器 448,得到該接收訊號之頻率響應的邊緣頻率值(如圖一 中之最大邊緣頻率值 fu及最小邊緣頻率值 fd)。在得知最。 大及最小邊緣頻率值 fu、fd之後,頻道參數偵測電路 45.0即可依據上文所述之方程式,偵測接收訊號RS之傳輸頻道 的邊緣頻率 (edge detection)、決定出對應的載波位置 (center carrier detection)、傳送速率(symbol rate detection)及其餘特性參數。

頻道掃描控制電路 410係依據信號偵測器 432及頻道參數偵





#### 五、發明說明 (8)

測電路 450之輸出訊號藉由頻譜分析單元 406之頻率控制電路 414控制複數降頻器 434之操作頻率以及調頻器 402之混波器 422之每次掃描時的頻帶頻率。其運作方式在上文皆有相對應的描述。

請參照圖四,圖四為本發明之一實施例所提出之自動掃描頻道方法之流程圖:

步驟 100: 調頻器依據掃描頻率掃描一頻帶;

步驟 102:檢查該次掃描的頻帶的頻率範圍內有無訊號存在,若有,則進行至步驟 106,若無,則執行步驟 104,調整掃描的頻率範圍,並回頭進行步驟 100;

步驟 106: 頻譜分析單元先將接收訊號轉換成頻域訊號,

並掃描得出接收訊號 RS於頻域上之頻率響應;其中較詳細

的步驟為:調整可調式降頻器之操作頻率,於不同時間下

掃描出該接收訊號 RS於頻域上對應於各個頻率的能量值,

再使用平均器將不同時間下所掃描出對應於每一頻率的能

量值加以平均,以得到接收訊號之頻率響應;

步驟 108: 頻道參數偵測單元偵測接收訊號所對應之頻道的頻道參數;其中,本實施例較佳地先對接收訊號之頻率響應進行訊號處理;

步驟 110: 是否已完成所有頻帶的掃描,若有,則結束,如無,則回到步驟 104,調整掃描的頻率範圍後,回頭進行步驟 100。





#### 五、發明說明 (9)

本發明之方法及相關裝置能快速掃描出所欲搜尋之傳輸頻道之頻率響應,並因此決定出此傳輸頻道的各項特性參數,快速地完成傳輸頻道之搜尋。

以上所述僅為本發明之較佳實施例,凡依本發明申請專利範圍所做之均等變化與修飾,皆應屬本發明專利之涵蓋範圍。



#### 圖式簡單說明

#### 圖式之簡單說明



圖二為依據本發明之一較佳實施例繪示之具有自動頻道掃描功能之接收機的系統架構圖。

圖三為本發明之頻譜分析單元之實施例的功能方塊圖。

圖四為本發明之一實施例所提出之自動掃描頻道方法之流程圖。

#### 圖式之符號說明

3	1	可	誀	#	咚	頫	哭
U	1		ניינס	エレ	14-	7957	กก

33 複數降頻器

37 訊號強度解析電路

402 調頻器

406 頻譜分析單元

410 頻道掃描控制單元

414 頻率控制電路

420 信號放大器

424 低通濾波器

428 自動增益控制器

432 信號 偵測 電路

436 可調式降頻器

440 載波回覆電路

32 頻譜分析單元

35 平均器

400 接收機

404 信號 偵 測 單 元

408 頻道參數偵測單元

5 %

412 解調單元

416 多工器

422 混波器

426 類比數位轉換器

430 數位類比轉換器

434 複數降頻器

438 強度解析電路

444 記 憶 體






圖式簡單說明

446 低通濾波器 448 高通濾波器

450 頻道參數偵測電路






依序掃描複數個頻帶(frequency band);以及 偵測每該頻帶是否具有該接收訊號,若有,則:

偵測該接收訊號之頻率響應;以及

依據該接收訊號之頻率響應偵測一傳輸頻道之一頻道特性;

其中,該接收訊號係與該傳輸頻道相對應。

- 2. 如申請專利範圍第 1項所述之方法,其中每該頻帶之頻率範圍皆不相同。
- 3. 如申請專利範圍第1項所述之方法,其中每該頻帶之頻寬皆相同。
- 4. 如申請專利範圍第 1項所述之方法,其中該傳輸頻道之該頻道特性至少包括該傳輸頻道之一邊緣頻率 (edge frequency)、該頻道之載波頻率 (carrier frequency)以及該傳輸頻道之傳送速率 (symbol rate)之至少一者
- 5. 一種自動掃描接收訊號之傳輸頻道 (Channel)的接收器,包括:
- 一 調 頻 器 ( tuner) , 用 以 依 序 掃 描 複 數 個 頻 帶 ;
- 一信號偵測單元,用以偵測每該頻帶是否具有該接收訊





- 一頻譜分析單元,用以偵測該接收訊號之頻率響應;以及一頻道參數偵測單元,用以依據該接收訊號之頻率響應偵測該傳輸頻道之一頻道特性;
- 其中,該接收訊號係與該傳輸頻道相對應。
- 6. 如申請專利範圍第 5項所述之裝置,其中每該頻帶之頻率範圍皆不相同。
- 7. 如申請專利範圍第 6項所述之裝置,其中該調頻器更包括一混波器 (mixer),該調頻器係依據該混波器之一掃描頻率決定掃描之該些頻帶。
- 8. 如申請專利範圍第7項所述之裝置,其中該接受器更包括一控制電路,用以依據該接收訊號控制該混波器之該掃描頻率。

3

- 9. 如申請專利範圍第 5項所述之裝置,其中該訊號偵測裝置更包括一自動增益控制電路,用以調整該接收器之一訊號增益值,該訊號偵測裝置係依據該訊號增益值偵測該頻帶是否具有該接收訊號。
- 10. 如申請專利範圍第5項所述之裝置,其中該頻譜分析單元更包括:




- 一可調式降頻器 (Down-converter),用以藉由調整一操作頻率,掃描偵測該接收訊號對應於複數個頻率之能量值;
- 一平均器,用以平均該接收訊號對應於該些頻率之能量值;以及
- 一強度解析電路,用以去除該接收訊號之相位(Phase),以得到該接收訊號之頻率響應。
- 11. 如申請專利範圍第 10項所述之裝置,其中該平均器係為一低通濾波器 (Low-pass Filter)。
- 12. 如申請專利範圍第10項所述之裝置,其中該接收器更包括一控制電路,用以依據該接收訊號之頻率響應控制該可調式降頻器之該操作頻率。
- 13. 如申請專利範圍第5項所述之裝置,其中認可道參數偵測單元更包括:
- 一訊號處理模組,用以對該接收訊號之頻率響應進行訊號處理;以及
- 一頻道參數偵測電路,用以依據該處理過後之該接收訊號之頻率響應決定該傳輸頻道之該頻道特性。
- 14. 如申請專利範圍第13項所述之裝置,其中該訊號處理模組至少包括:




- 一低通滤波器;以及
- 一高通濾波器,分別與該低通濾波器及該頻道參數偵測電路耦接。
- 15. 如申請專利範圍第5項所述之裝置,其中該傳輸頻道之該頻道特性至少包括該傳輸頻道之一邊緣頻率 (edge frequency)、該頻道之載波頻率 (carrier frequency)以及該傳輸頻道之傳送速率 (symbol rate)之至少一者。
- 16. 如申請專利範圍第 5項所述之裝置,其中該接收器更包括一頻道掃描控制電路,用以控制該調頻器依序掃描該 些頻帶。





咽



Ź



Ĺ

